

etech +PLUS


CORDLESS TOOLS



Elektro-
magnetische
Verträglichkeit
Regelmäßige
Produktions-
überwachung

www.tuv.com
ID 1000000000

www.tuv.com
ID 4000000000



Cordless Impact Hammer

Etech
+PLUS



YH01



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-900⁻¹
2 NO-LOAD SPEED



1.1J
STOCK POWER



0-4300BPM
IMPACT RATING



1 HOUR
QUICK CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



52.5 x 32.5 x 32cm | 5pcs / ctn | 15 / 14 kgs | 2,550pcs / 20' | 6,200pcs / 40'



YD-011



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-750⁻¹
SINGLE SPEED (NO-LOAD)



17+1
TORQUE SETTING POSITION



15NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
7.5 / 7 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
10.5 / 10 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
14.5 / 14 kgs
2,350pcs / 20'
5,700pcs / 40'



YD012



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-400⁻¹ / 0-1500⁻¹
2 OPERATING SPEED (NO-LOAD)



17+1
TORQUE SETTING POSITION



30 / 40NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
7.5 / 7 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
10.5 / 10 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
14.5 / 14 kgs
2,350pcs / 20'
5,700pcs / 40'



YD-012I



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-400⁻¹ / 0-1500⁻¹
2 OPERATING SPEED (NO-LOAD)



21+1
TORQUE SETTING POSITION



30 / 40NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



Screw-Drill-Impact
3 models guide



43 x 22.5 x 25 cm
5pcs / ctn
7.5 / 7 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
10.5 / 10 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
14.5 / 14 kgs
2,350pcs / 20'
5,700pcs / 40'



YD021



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-750⁻¹
SINGLE SPEED (NO-LOAD)



17+1
TORQUE SETTING POSITION



12NM
MAXIMUM TORQUE



0.8-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



42.5 x 33.5 x 21.5 cm
10pcs / ctn
12.7 / 12.2 kgs
9,100pcs / 20'
18,900pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'



YD022



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-350⁻¹ / 0-1300⁻¹
2 OPERATING SPEED (NO-LOAD)



17+1
TORQUE SETTING POSITION



25NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



42.5 x 33.5 x 21.5 cm
10pcs / ctn
12.7 / 12.2 kgs
9,100pcs / 20'
18,900pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'

Impact Cordless Drill

etech
+PLUS



YD022I



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-350⁻¹ / 0-1300⁻¹
2 OPERATING SPEED (NO-LOAD)



21+1
TORQUE SETTING POSITION



25NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



Screw-Drill-Impact
3 models guide



42.5 x 33.5 x 21.5 cm
10pcs / ctn
12.7 / 12.2 kgs
9,100pcs / 20'
18,900pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'

Chuck quick install & remove design
for drill and scrow



YD022A



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-350⁻¹ / 0-1300⁻¹
2 OPERATING SPEED (NO-LOAD)



17+1
TORQUE SETTING POSITION



25NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



Easy to install & remove



32.5 x 22.5 x 22.5 cm
5pcs / ctn
6.8 / 6.5 kgs
8,450pcs / 20'
20,600pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'

Cordless Drill

etech
+PLUS



YD051



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-750⁻¹
SINGLE SPEED (NO-LOAD)



17+1
TORQUE SETTING POSITION



15NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
6.5 / 5 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
9.5 / 9 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
13.5 / 13 kgs
2,350pcs / 20'
5,700pcs / 40'



YD052



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-350⁻¹ / 0-1300⁻¹
2 OPERATING SPEED (NO-LOAD)



20+1
TORQUE SETTING POSITION



25NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
6.5 / 5 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
9.5 / 9 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
13.5 / 13 kgs
2,350pcs / 20'
5,700pcs / 40'

Impact Cordless Drill

etech
+PLUS



YD052I



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-350⁻¹ / 0-1300⁻¹
2 OPERATING SPEED (NO-LOAD)



20+1
TORQUE SETTING POSITION



25NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



Screw-Drill-Impact
3 models guide



43 x 22.5 x 25 cm
5pcs / ctn
6.5 / 5 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
9.5 / 9 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
13.5 / 13 kgs
2,350pcs / 20'
5,700pcs / 40'



YD051



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-750⁻¹
SINGLE SPEED (NO-LOAD)



17+1
TORQUE SETTING POSITION



18NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
6.5 / 5 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
9.5 / 9 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
13.5 / 13 kgs
2,350pcs / 20'
5,700pcs / 40'

Cordless Drill

etech
+PLUS



YD052



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-400⁻¹ / 0-1500⁻¹
2 OPERATING SPEED (NO-LOAD)



20+1
TORQUE SETTING POSITION



30 / 40NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
6.5 / 5 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
9.5 / 9 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
13.5 / 13 kgs
2,350pcs / 20'
5,700pcs / 40'



YD052I



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-400⁻¹ / 0-1500⁻¹
2 OPERATING SPEED (NO-LOAD)



21+1
TORQUE SETTING POSITION



30 / 40NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



Screw-Drill-Impact
3 models guide



43 x 22.5 x 25 cm
5pcs / ctn
6.5 / 5 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
9.5 / 9 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
13.5 / 13 kgs
2,350pcs / 20'
5,700pcs / 40'

Cordless Drill

etech
+PLUS



YD062



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-400⁻¹ / 0-1500⁻¹
2 OPERATING SPEED (NO-LOAD)



25+1
TORQUE SETTING POSITION



50NM
MAXIMUM TORQUE



2-13MM
CHUCK



1H / 3H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
7.5 / 7 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
10.5 / 10 kgs
3,725pcs / 20'
9,000pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
14.5 / 14 kgs
2,350pcs / 20'
5,700pcs / 40'



YD062I



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-400⁻¹ / 0-1500⁻¹
2 OPERATIONS SPEED (NO-LOAD)



25+1
TORQUE SETTING POSITION



50NM
MAXIMUM TORQUE



2-13MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



Screw-Drill-Impact
3 models guide



43 x 22.5 x 25 cm
5pcs / ctn
7.5 / 7 kgs
5,700pcs / 20'
14,000pcs / 40'



46.5 x 30.5 x 26.5 cm
5pcs / ctn
10.5 / 10 kgs
3,725pcs / 20'
9,000pcs / 40'



57 x 32.5 x 32 cm
5pcs / ctn
14.5 / 14 kgs
2,350pcs / 20'
5,700pcs / 40'

2 BATTERIES



YD081



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-750⁻¹
SINGLE SPEED (NO-LOAD)



17+1
TORQUE SETTING POSITION



15NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H /3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



42.5 x 33.5 x 21.5 cm
10pcs / ctn
12.7 / 12.2 kgs
9,100pcs / 20'
18,900pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'



YD082



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-350⁻¹ / 0-1300⁻¹
2 OPERATING SPPD (NO-LOAD)



17+1
TORQUE SETTING POSITION



25NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



42.5 x 33.5 x 21.5 cm
10pcs / ctn
12.7 / 12.2 kgs
9,100pcs / 20'
18,900pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'

Impact Cordless Drill

etech
+PLUS



YD082I



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



0-350⁻¹ / 0-1300⁻¹
2 OPERATING SPEED (NO-LOAD)



21+1
TORQUE SETTING POSITION



25NM
MAXIMUM TORQUE



1-10MM
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



Screw-Drill-Impact
3 models guide



42.5 x 33.5 x 21.5 cm
10pcs / ctn
12.7 / 12.2 kgs
9,100pcs / 20'
18,900pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'



YIW-01



12/10.8V
ELECTRICAL VOLTAGE



1.3 / 1.5AH
LI-ION BATTERY CAPACITY



0-2200⁻¹
SINGLE SPEED



90NM
MAXIMUM TORQUE



3/8"
DRIVING ADAPTOR



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



42.5 x 33.5 x 21.5 cm
10pcs / ctn
12.7 / 12.2 kgs
9,100pcs / 20'
18,900pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'

Impact Cordless Wrench

Etech
+PLUS



YIW-02



20/18/16V/14.4V
ELECTRICAL VOLTAGE



1.5 / 2.0AH
LI-ION BATTERY CAPACITY



0-2600⁻¹
SINGLE SPEED



160NM
MAXIMUM TORQUE



1/2"
DRIVING ADAPTOR



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
10.5 / 10 kgs
5,750pcs / 20'
14,000pcs / 40'



48.5 x 32 x 26.5 cm
5pcs / ctn
13.5 / 13 kgs
3,375pcs / 20'
8,250pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
15 / 14.5 kgs
2,350pcs / 20'
5,700pcs / 40'



YIS01



12/14.4V
ELECTRICAL VOLTAGE



1.3 / 1.5AH
LI-ION BATTERY CAPACITY



0-2200⁻¹
SINGLE SPEED



90NM
MAXIMUM TORQUE



1/4" (6.35MM)
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



42.5 x 33.5 x 21.5 cm
10pcs / ctn
12.7 / 12.2 kgs
9,100pcs / 20'
18,900pcs / 40'



45.5 x 32.5 x 27 cm
5pcs / ctn
8.8 / 8.3 kgs
3,500pcs / 20'
8,450pcs / 40'



46.5 x 30.5 x 26.5cm
5pcs / ctn
8.6 / 8.2 kgs
3,200pcs / 20'
7,850pcs / 40'

Impact Cordless Screwdriver

etech
+PLUS



YIS02



20/18/16V/14.4V
ELECTRICAL VOLTAGE



1.5 / 2.0AH
LI-ION BATTERY CAPACITY



0-2600⁻¹
SINGLE SPEED



160NM
MAXIMUM TORQUE



1/4" (6.35MM)
CHUCK



1H / 3-5H
QUICK / REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



43 x 22.5 x 25 cm
5pcs / ctn
10.5 / 10 kgs
5,750pcs / 20'
14,000pcs / 40'



48.5 x 32 x 26.5 cm
5pcs / ctn
13.5 / 13 kgs
3,375pcs / 20'
8,250pcs / 40'



2 BATTERIES

57 x 32.5 x 32 cm
5pcs / ctn
15 / 14.5 kgs
2,350pcs / 20'
5,700pcs / 40'



YS01



3.6V
ELECTRICAL VOLTAGE



1.0/1.3/1.5AH
LI-ION BATTERY CAPACITY



230⁻¹
ADJUSTABLE SPEED



6+1
TORCH SETTING POSITION



3NM
MAXIMUM TORQUE



3-5H
REGULAR CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



33 x 31 x 32.5 cm | 24pcs / ctn | 15.5 / 15 kgs | 20,000pcs / 20' | 40,000pcs / 40'

Cordless Angle Grinder

Etech
+PLUS

YG01



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



8000⁻¹
MAXIMUM SPEED



1H / 3-5H
QUICK / REGULAR CHARGING TIME



M14
SPINDLE THREAD



115MM
BLADE DIAMETER





YOS01



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



5000-18000⁻¹
VARIABLE SPEED



3 POSITION
OSCILLATION ANGLES



1 HOUR
QUICK CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



52.5 x 32.5 x 32cm | 5pcs / ctn | 15 / 14 kgs | 2,550pcs / 20' | 6,200pcs / 40'

Cordless Oscillating Tool

etech
+PLUS



YOS01



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



5000-18000⁻¹
VARIABLE SPEED



3 POSITION
OSCILLATION ANGLES



1 HOUR
QUICK CHARGING TIME



POWER INDICATOR
BATTERY CAPACITY DISPLAY



LED LIGHT
BUILT-IN BRIGHT LIGHTING



52.5 x 32.5 x 32cm | 5pcs / ctn | 15 / 14 kgs | 2,550pcs / 20' | 6,200pcs / 40'



Optional digital gauge
with pressure setting

YC001



12/10.8V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



160 PSI
MAXIMUM PRESSURE



14 L/MIN
MAXIMUM FLOW SPEED



1H / 3-5H
QUICK / REGULAR CHARGING TIME



3 VALVES
FOR DIFFERENT KINDS NOZZLES



LED LIGHT
BUILT-IN BRIGHT LIGHTING



42.5 x 27 x 20 cm
5pcs / ctn
9 / 8 kgs
6,050pcs / 20'
14,750pcs / 40'



52.5 x 29.5 x 31.5 cm
5pcs / ctn
13 / 12 kgs
2,850pcs / 20'
6,925pcs / 40'

Cordless Portable Cleaner

Etech
+PLUS

YC01



20/18/16/14.4V
ELECTRICAL VOLTAGE



120L/H
MAXIMUM WATER FLOW RATE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



1H / 3-5H
QUICK / REGULAR CHARGING TIME



22 / 6.5 BAR
PRESSURE



1.3 KGS
PRODUCT WEIGHT



45 x 38 x 26 cm | 3pcs / ctn | 10 / 9 kgs | 1,800pcs / 20' | 3,600pcs / 40' | 4,200pcs / 40'H



YWC01-3.6V



3.6V
ELECTRICAL VOLTAGE



1300 / 1500MAH
LI-ION BATTERY CAPACITY



280MM
VACUUM NOZZLE (WIDTH)



200ML
SPRAY BOTTLE CAPACITY



150ML
DUSTY BOTTLE CAPACITY



2-3 HOURS
CHARGING TIME



54 x 27.5 x 36 cm | 8pcs / ctn | 9.2 / 8.5 kgs | 4,160pcs / 20' | 6,300pcs / 40'

Cordless Hedge Trimmer

etech
+PLUS

YH01



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



4000⁻¹ (SPM)
MAXIMUM NO-LOAD SPEED



1H / 3-5H
QUICK / REGULAR CHARGING TIME



410/460/510MM
CUTTING BLADE LENGTH



14MM
CUTTING CAPACITY



YT01**20/18/16/14.4V**
ELECTRICAL VOLTAGE**1.3/1.5/2.0AH**
LI-ION BATTERY CAPACITY**9000⁻¹**
MAXIMUM ROTED SPEED**1H / 3-5H**
QUICK / REGULAR CHARGING TIME**23MM**
CUTTING CAPACITY**800-1150CM**
TELESCOPIC HANDLE LENGTH**60°**
ROTING ANGEL

Cordless Blower Vacuum

etech
+PLUS

YB001



20/18/16/14.4V
ELECTRICAL VOLTAGE



1.3/1.5/2.0AH
LI-ION BATTERY CAPACITY



850MM
LENGTH



1H / 3-5H
QUICK / REGULAR CHARGING TIME



200KM/H
AIR BLOW SPEED





宁波易太科电器有限公司

NINGBO E-TECH ELECTRICAL INDUSTRIAL CO.,LTD

🏠 宁波市北仑区大碶镇石湫工业区天宁路11号

No. 11 Tianning Road, Shiqiu industrial park, Daqi Town, Beilun District, Ningbo

☎ 0086 574 2689 9598

☎ 0086 574 2689 9528

☎ 0086 139 0669 0421

✉ zfl@yitaikemachinery.com